

Mutina

Bloc

by Ronan & Erwan Bouroullec



EN


General information

Laying and maintenance tips

Colors


Technical features

Packing




General information

collection	Bloc
design	Ronan & Erwan Bouroullec, 2021
production	Artisanal
material	Extruded terracotta, glazed extruded terracotta
nominal sizes	13·13·10 cm (5''·5''·4'')
specification	<ul style="list-style-type: none"> – artisanal extruded partition elements, 10 cm thick – 3 finishing: natural, matt, glossy – 5 colours: Natural (natural finishing). Pearl, Grey, Red, Blue (glossy glaze finishing and matt painted finishing). <p>This product is suitable for both residential and commercial areas, to be installed in walls with height of 4mt. These elements must in any case comply with the technical standards of construction regulation, applicable in the country where they are installed.</p> <p>For the Italian national territory, in particular, they should comply with standard NTC 2018 DECRETO MIN 27/01.</p> <p>For aesthetic outcome it is possible to install BLOC using our wooden profile. The profile is painted and suitable for outdoor use. A top profile with removable sides is provided for ceiling fixing. As complementary pieces Mutina provide the Mutina sealant, EC 1 plus for VOC emissions. For installation process see the installation video available on www.mutina.it for Celosia (soon available for Bloc and anyway same procedure).</p> <p>Bloc Natural is suitable for indoor and outdoor areas complying with UNI EN 772-22 marked "F1- moderate exposure".</p> <p>Bloc Matt and Glossy finishing are suitable for indoor only.</p>
category	UNI 11128/2004




13·13·10 cm (5''·5''·4'')

complementary pieces




To make the installation of these items easier, a Mutina sealant is now available: an organic and eco-friendly sealing material, which is sold separately.

Tube Colors



2,5·10 cm (1''·4'')




Blue Tube



Red Tube


ANCHORING ON 2 SIDES

Max h 400 cm




ANCHORING ON 3 SIDES

Max h 400x300 cm



ANCHORING ON 2 SIDES

MAX h250x100 cm



Colors

GLOSSY



Pearl



Grey



Red



Blue

MATT



Pearl



Grey



Red



Blue



Natural

Laying and maintenance tips

use	Wall – indoor, outdoor for Bloc Natural Wall – indoor for Bloc Pearl, Grey, Red, Blue
installation	For installation process see the installation video available on www.mutina.it
recommended adhesive	Mutina sealant: solvents-free, eco-friendly organic sealant.
recommended joints	–
recommended fillers	–
cleaning at the end of installation	Avoid drippings during installation. If needed the excess can be removed after the product has dried, using a tool with a sharp edge.
general cleaning (installed tiles)	–
calibers (real size)	13 x 13 x 10 cm with 1-3 mm tolerance (artisanal product)

Technical features

STANDARD	FEATURES	VALUE REQUIRED	BLOC
UNI EN 772-16	dimensions	to declare	T2 – R2
UNI EN 772-21:2011	water absorption	to declare	12,5%
UNI EN 772-5:2016	content of active soluble salts	to declare	S2
UNI EN CEN/TS 772- 22:2006	freeze-thaw resistance	to declare	F1
D.M. 1401/2008	determination of horizontal variable loads	to declare	C2
LEED CERTIFICATION 4.1			10% recycled material
VOC Emission			available upon request
Declaration of Contents			available upon request
SDS			available upon request
BPD3			available upon request
HPD			available upon request

Packing

SIZE	PCS-SQM	PCS-PAL	PCS-BOX	BOX-PL	KG-BOX	KG-PC	KG-PAL	SQM-PAL
natural 5''-5''-4'' cm	59,17	96				2,85	273,60	1,62
other colors 5''-5''-4'' cm	59,17		4	48	11,40		547,20	3,24
tube			18		0,54	0,03		